

FPV camera P6 Pro CZ

User manual



Content

1. Product overview	3
2. Wiring connection	4
3. Menu controls	5
Contacts:	6

1. Product overview



Fig.1. FPV camera P6 Pro CZ

The Pilotix P6 Pro is a high-performance FPV camera designed for professional drone pilots. Featuring advanced image processing and wide dynamic range, it delivers sharp, clear footage in any lighting conditions.

2. Wiring connection

Connect the 2-pin cable between the FPV camera and the control board.





Fig.2. OSD joystick connection

Connect the 3-pin cable between the FPV camera and the display.

OSD joystick is not included in the package.



3. Menu controls

Short press the joystick to open the main menu.

*The default interface language is English.

MAIN	
AE	>
AWB	>
DAY/NIGHT	>
SMART LED	>
IMAGE ENHANCE	>
VIDEO SETTING	>
LANGUAGE	ENGLISH
FUNG	>
RESET	>
SAVE&EXIT	>
EXIT	>

Fig.3. Main menu

Feature	Description
	Move the joystick up or down to switch between menu levels.
	Move the joystick left or right to open submenus and select options.
	Short press the joystick to confirm. *The menu closes automatically after a period of inactivity.

Contacts:

WhatsApp: +420 777 054 888

Email: support@pilotix.eu

Telegram: https://t.me/PilotixSupport_bot
